

ID	DESCRIPTION	DIMENSION mm	PRICE Rs.
<b>INDUSTRIAL INSPECTION LUMINAIRE</b>			
3169	Four 54W T-5 FTL with Clear Acrylic Diffuser	1230 x 600 x 156	28640/-




3169




BMW Factory - Mahindra World City (near Chennai)

**NOTE :** FTL : Fluorescent Tubular Lamp.




1044



1109



1240



3795



7309

2999



2292



1660



8126

ID	DESCRIPTION	DIMENSION mm L x B x H	PRICE Rs.					
<b>CONSUMER LUMINAIRE</b>								
1044	⊕ Single 40W FTL (4') 1.22M EB with Battery Backup System	1242 x 54 x 78	6620/-					
<b>INDUSTRIAL LUMINAIRE</b>								
1109	⊕ Twin 40W FTL (4') 1.22M EB with PC Reflector with Battery Backup System	1228 x 175 x 96	7710/-					
<b>COMMERCIAL LUMINAIRE</b>								
1240	⊕ Twin 28W T-5 FTL Reeded Clear Acrylic Diffuser with Mirror Reflector Fully Gasketed with Battery Backup System	1195 x 68 x 100	8770/-					
<b>CORROSION PROOF LUMINAIRE</b>								
3795	⊕ Twin 28W T-5 FTL with Battery Backup System	1210 x 104 x 95	12730/-					
<b>OFFICE LIGHTING LUMINAIRES</b>								
<b>DOWN LIGHTER</b>								
7309	⊕ Single 18W CFLC Hexabolic Extended Brite Reflector with Battery Backup System	C.O.D Ø 125	6470/-					
<b>PORTICO LUMINAIRE</b>								
2999	⊕ Twin 11W CFL Round Sleek Translucent with Battery Backup System	O.A.D Ø 345 x 105	7630/-					
<b>MAXALUX LUMINAIRE</b>								
2292	⊕ Twin 11W CFL with Battery Backup System	C.O.D 302 x 231 x 85	7550/-					
<b>DARK LIGHTER LUMINAIRE</b>								
1660	⊕ Four 14W T-5 FTL Dark Lighter Louvres CAT II with Battery Backup System	❖ 585 x 585 x 55	11320/-					
<b>BATTERY BACKUP UNIT</b>								
8126	2.5AH - One Hour Backup							
Lamps	Operating Time	Battery	Lamps	Operating Time	Battery	Lamps	Operating Time	Battery
T8	1	18,25,30,36W	T-5 High	1	24,39,54W	TC-L	1	18,24,36,40,55W
T8C	1	32, 40W	T5C	1	22,40,55W	TC-SE	1	5,7,9,11W
T5	1	8,11,14,21,28W	TC-DE	1	13,18,26W	TC-TE	1	18,26,32,42W

**NOTE :** FTL : Fluorescent Tubular Lamp. EB : Electronic Ballast. PC : Powder Coated. CFLC : Compact Fluorescent Lamp Coupled. CFL : Compact Fluorescent Lamp.  
 ⊕ Details for Battery Backup System - on request. O.A.D : Over All Dimension. C.O.D : Cut Out Dimension. ❖ Armstrong / Gypsum / 'T' Section False Ceiling - 600 Series.



7972

ID	DESCRIPTION	PRICE Rs.
<b>CRYSTAL STARRY SKY</b>		
7971	35 Points with 75W Halogen Fibre Optic Light Engine Fibre Length : 2 Metre - 20 Nos; 3.5 Metre - 15 Nos.	288400/-
7972	35 Points with 150W Metal Halide Fibre Optic Light Engine Fibre Length : 2 Metre - 20 Nos; 3.5 Metre - 15 Nos.	352400/-
7973	70 Points with 75W Halogen Fibre Optic Light Engine Fibre Length : 3 Metre - 70 Nos. or 4 Metre - 30 Nos; 6 Metre - 40 Nos.	426600/-
7974	70 Points with 150W Metal Halide Fibre Optic Light Engine Fibre Length : 3 Metre - 70 Nos. or 4 Metre - 30 Nos; 6 Metre - 40 Nos.	490600/-



ID	DESCRIPTION	PRICE Rs.
----	-------------	--------------




7979

7979	Light engine 12V 75W with coloured wheel, 0.75mm light fibre cable of length 2 Metres to 5 Metres, 100 points in different length.	59800/-
7980	Light engine 12V 75W with coloured wheel, 0.75mm light fibre cable of length 2 Metres to 5 Metres, 200 points in different length.	83000/-



7981

7981	Light engine 12V 75W with coloured wheel, 1mm light fibre cable with sleeves of length 2 Metres, 120 points.	66800/-
------	--	---------



7982

7982	Light engine 12V 75W with coloured wheel, 4mm light fibre cable with sleeves of length between 0.8 Metres to 2.3 Metres, 36 points.	83600/-
------	---	---------

